ADVERTISEMENT

Ad removed. Details

Log in

THE LANCET

CORRESPONDENCE | VOLUME 398, ISSUE 10314, P1871, NOVEMBER 20, 2021

COVID-19: stigmatising the unvaccinated is not justified

Günter Kampf ⊡ Published: November 20, 2021 • DOI: https://doi.org/10.1016/S0140-6736(21)02243-1

🔆 PlumX Metrics

In the USA and Germany, high-level officials have used the term pandemic of the unvaccinated, suggesting that people who have been vaccinated are not relevant in the epidemiology of COVID-19. Officials' use of this phrase might have encouraged one scientist to claim that "the unvaccinated threaten the vaccinated for COVID-19".¹ But this view is far too simple.

There is increasing evidence that vaccinated individuals continue to have a relevant role in transmission. In Massachusetts, USA, a total of 469 new COVID-19 cases were detected during various events in July, 2021, and 346 (74%) of these cases were in people who were fully or partly vaccinated, 274 (79%) of whom were symptomatic. Cycle threshold values were similarly low between people who were fully vaccinated (median 22·8) and people who were unvaccinated, not fully vaccinated, or whose vaccination status was unknown (median 21·5), indicating a high viral load even among people who were fully vaccinated.² In the USA, a total of 10 262 COVID-19 cases were reported in vaccinated people by April 30, 2021, of whom 2725 (26.60⁴) were asymptomatic, 995 (9·7%) were hospitalised, and 160 (1·6%) died.³ In Germany, 55·4% of matic COVID-19 cases in patients aged 60 years or older were in fully vaccinated indiv

COVID-19: stigmatising the unvaccinated is not justified - The Lancet

this proportion is increasing each week. In Münster, Germany, new cases of COVID-19 occurred in at least 85 (22%) of 380 people who were fully vaccinated or who had recovered from COVID-19 and who attended a nightclub.⁵ People who are vaccinated have a lower risk of severe disease but are still a relevant part of the pandemic. It is therefore wrong and dangerous to speak of a pandemic of the unvaccinated. Historically, both the USA and Germany have engendered negative experiences by stigmatising parts of the population for their skin colour or religion. I call on high-level officials and scientists to stop the inappropriate stigmatisation of unvaccinated people, who include our patients, colleagues, and other fellow citizens, and to put extra effort into bringing society together.

• View related content for this article

I declare no competing interests.

References

Goldman E
How the unvaccinated threaten the vaccinated for COVID-19: a Darwinian perspective.
Proc Natl Acad Sci USA. 2021; 118e2114279118

View in Article 🔨

Scopus (0) • PubMed • Crossref • Google Scholar

2. Brown CM • Vostok J • Johnson H • et al.

Outbreak of SARS-CoV-2 infections, including COVID-19 vaccine breakthrough infections, associated with large public gatherings—Barnstable County, Massachusetts, July 2021. *MMWR Morb Mortal Wkly Rep.* 2021; **70**: 1059-1062

View in Article 🔨

PubMed • Crossref • Google Scholar

3. US Centers for Disease Control and Prevention COVID-19 Vaccine Breakthrough Case Investigations Team

COVID-19 vaccine breakthrough infections reported to CDC—United States, January 1–April 30, 2021.

'R Morb Mortal Wkly Rep. 2021; 70: 792-793

-

View in Article 🔨

PubMed • Crossref • Google Scholar

4. Robert Koch Institut

Wöchentlicher Lagebericht des RKI zur Coronavirus-Krankheit-2019 (COVID-19)—14·10·2021—

aktualisierter Stand für Deutschland.

https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Situationsberichte/Wochenbericht/Wo chenbericht_2021-10-14.pdf?__blob=publicationFile

Date: Oct 14, 2021

Date accessed: October 18, 2021

View in Article A

Google Scholar

5. Von Dolle F

Münster: Inzwischen 85 Infizierte nach 2G-Party im Club.

https://www1.wdr.de/nachrichten/westfalen-lippe/corona-infektionen-clubbesuch-muenster-100.html

Date: Sept 20, 2021 Date accessed: September 23, 2021

View in Article A Google Scholar

Article Info

Publication History

Published: 20 November 2021

Identification

DOI: https://doi.org/10.1016/S0140-6736(21)02243-1

Copyright

Direct


Elsevier Ltd. All rights reserved.

:=



Access this article on ScienceDirect

Related Hub



COVID-19 Resource Centre

Access the latest 2019 novel coronavirus disease (COVID-19) content from across *The Lancet* journals as it is published.

THE LANCET

(())

LANCET JOURNALS

The Lancet

The Lancet Child & Adolescent Health

The Lancet Diabetes & Endocrinology

The Lancet Digital Health

The Lancet Gastroenterology & Hepatology

The Lancet Global Health

The Lancet Haematology

The Lancet Healthy Longevity

ancet HIV

- The Lancet Infectious Diseases
- The Lancet Microbe
- The Lancet Neurology
- The Lancet Oncology
- The Lancet Planetary Health
- The Lancet Psychiatry
- The Lancet Public Health
- The Lancet Regional Health Americas
- The Lancet Regional Health Europe
- The Lancet Regional Health Western Pacific
- The Lancet Respiratory Medicine
- The Lancet Rheumatology
- EBioMedicine
- EClinicalMedicine

CLINICAL INITIATIVES

- The Lancet Clinic
- Commissions
- Series
- Picture Quiz

GLOBAL HEALTH INITIATIVES

Global Health Portal

Commissions

Series

Il Burden of Disease

Climate Countdown

MULTIMEDIA

Infographics

Podcasts

Videos

INFORMATION

About us

For authors

For advertisers

For press

Publishing excellence

Careers

Conferences

Community guidelines

Peer review

Preprints

ACCESS

Access our content

Register an account

My account

Personal subscriptions

Open Access

• =

Existing print subscribers

est institutional access

CONNECT

Lancet Alerts

Contact us

Customer service

We use cookies to help provide and enhance our service and tailor content and ads. To update your cookie settings, please visit the Cookie Settings for this site.

Copyright © 2021 Elsevier Inc. except certain content provided by third parties. The content on this site is intended for healthcare professionals.

Privacy Policy Terms and Conditions



